



EK65s User Manual



Physical specification

Layout: 65% Connection: wired

Cable length: 1.8m Keycaps: PBT double injection

Switch: hot-swappable Switch lifespan: 50 million clicks

Weight: 606±10g Dimension: 338*121*38mm

Electrical specification

Key conflict: N-Key rollover

Backlight: RGB

Compatibility: Win 7/Win 8/Win 10/Win 11/macOS

Driver: support - download from Dareu website(www.dareu.com)

Product introduction



- Scroll wheel function

Default: Side light brightness control.

Long press (3sec.) = Volume control ⇒ Side light brightness control.


In the volume control function, press to mute the volume.



-Light is on: it indicates the volume adjustment function

 $\label{light} \mbox{Light is off: \ it indicates the side light brightness adjustment function}$






*Please use the following functions in Windows system

When Fn is locked, then: $\begin{bmatrix} 1 \\ \beta z \end{bmatrix} \sim \begin{bmatrix} z \\ \beta z \end{bmatrix} = F1 \sim F12$. The shortcut keys change as follows:

Fn+1 = Player	Fn+2 = Volume-	Fn+3 = Volume+
Fn+4 = Mute	Fn+5 = Stop	Fn+6 = Previous
Fn+7 = Play/Pause	Fn+8 = Next	Fn+9 = Email
Fn+0 = Browser	Fn+ - = My computer	Fn+ + = Calculator

Key shortcuts

Backlight switching



Mfgr.: Dongguan Togran Electronics Technology Co., Ltd Add.: No. 110, Shidan Rd, Shijie Town, Dongguan City, Guangdong Province, China 523290

Tel: +86 769 86308806 Fax: +86 769 86308826 Email: Info@dareu.com CS@dareu.com Web: www.dareu.com

